



VENTANA




GARDEN WINDOWS 2026

Series 2050 | Series 2050i | Series 2051 | Box Bay 90-Deg

Open Up Your Space, Add Light

Open any space in your home with a garden window and create a beautiful setting for your plants, collectibles, or decorations. It could be the perfect finishing touch for your kitchen, bath, make-over, remodeling project or new home. We offer three different types of garden windows and a bay window





SERIES 2050

**Distinctive
Design.
Excellent
Performance.**

FEATURES

- Both vents and deadlights have a built-in weep system and external glazing.
- A structural silicone is used to glaze the top slope and vertical deadlight portions of the unit.
- Snap-in sill cover for seat board provides aesthetic appeal and weather resistance.
- Exterior grade plywood head board, seat board and jamb are 1-1/4-inch for improved structural and thermal performance.
- Engineered for new construction and remodeling applications.
- Standard garden window jamb depths of 4-9/16, 5-1/4, 6-9/16, and 11 inches are available as well as custom jamb depths to fit any application.
- Fully welded, rigid PVC frame for greater strength and stability
- The center mullion contains aluminum and steel reinforcements
- Vinyl frame will not hip, rot or peel and will never need to be painted

THE ONLY WINDOW OF ITS KIND.

Built to Weather the Storm.



IMPACT SERIES 2050i



Design Pressure
DP50



Wind Zone 3



Missile Impact
Level D



Florida Building
& TDI Approved

FEATURES

- The aluminum-reinforced center mullion is wider and thicker for extra strength.
- All IGs with .090 laminated glass.
- Custodial lock on both casements.
- Maximum size is 63 x 63 inches.
- Knee brace supports are provided with each order.
- Other features remain the same as the Series 2050: Series 2050i Impact-Rated Garden Window
- Fully welded, rigid PVC frame for greater strength and stability.
- The top slope is a constant 35-degree pitch.
- The projection of the window from the exterior wall face is a constant 17 inches



STUCCO SERIES 2051

The Series 2051 garden window is explicitly designed for stucco remodeling applications and installs like a new construction window. It incorporates aluminum nail flanges for mounting directly to the outside of an existing window frame (knee braces are required for support).



NO DISRUPTION TO INTERIOR WALL

FEATURES

- The Series 2051 stucco replacement garden window has an AAMA Certified R-50 rating for units 60.5 x 60.5 inches and smaller*
- Fully welded, rigid PVC vinyl frame for greater strength and stability.
- Aluminum and steel reinforcements in the front mullion.
- Vinyl frame will not chip, rot, or peel and will never need to be painted.
- Clear 1-inch insulated glass package.
- Top sloped insulating glass (a constant 35-degree pitch) is tempered for improved safety and unit integrity.
- The projection of the window from the exterior wall face is a constant 17 inches (cannot be modified).
- Both vents and deadlites have a built-in weep system and external glazing.
- A two-part structural silicone is used to glaze the top slope and vertical deadlite portions of the unit.
- Snap-in sill cover for seat board provides aesthetic appeal and weather resistance.
- Snap-in corner slope closure profile assures a tight weather seal.
- Exterior grade plywood seat board, is 1-1/4-inch for improved structural and thermal performance.
- The window is shipped completely assembled for easy installation.

For more information visit: ventana-usa.com

SERIES 2500

Box-Bay 90-Degrees



FEATURES

- Fully welded, rigid PVC vinyl frame for greater strength and stability.
- Vinyl frame will not chip, rot, or peel and will never need to be painted.
- Both vents and deadlites have a built-in weep system and external glazing.
- Exterior grade plywood head board, seat board and jamb are 1-1/4-inch for improved structural and thermal performance; support brackets are not needed.
- Clear 1-inch insulated glass is provided for all-weather protection.
- Snap-in covers for the head board and seat board provide aesthetic appeal and weather resistance.
- The projection of the window from the exterior wall face is a constant 17 inches.
- The window is shipped completely assembled for easy installation.
- Engineered for new construction and remodeling applications.
- Standard garden window jamb depths of 4-9/16, 5-1/4, 6-9/16, and 11 inches are available as well as

CUSTOMIZE YOUR PERFECT GARDEN WINDOW.

Choose from our variety of colors and options.



COLOR OPTIONS

- Standard frame colors are White, Beige, Blue-White and White Exterior with Light Oak Interior.
- Other colors are available by special order, including: Champagne or Cocoa Exterior with a White Interior.
- Also available as a special order option is our color match system which allows the window to be painted to match your color sample.



HEAD BOARD, SEAT BOARD AND JAMB COLORS.

- Head board, seat board, jamb and edge banding are available in Birch or Oak veneer and White or Tan Pionite (HPL). Special order interior options include Light Oak, Dark Oak or Cherry (HPL).



ACRYLIC SOLID SURFACE SEAT BOARD COLORS

- An acrylic solid surface seat board is available in Arctic White and decorator colors: Almond, Vanilla Sugar, Gray Granite, Black Pearl or White Quartz.



HARDWARE COLOR OPTIONS.

- Standard hardware colors are White, Beige, Blue-White and Nickel.



Please Note:
The color samples shown here are reproduced by mechanical process and may vary from actual colors of the product. Please contact your sales representative for samples before ordering. HPL = High Pressure Laminate





GET IN TOUCH



724-325-3400



information@ventanapa.com



www.ventana-usa.com



6001 Enterprise Drive
Export, PA 15632

